AUTHOR INDEX

Abe, K., Takayanagi, M. and Saito, H.
Neutrotrophic effects of EGF in brain 45
Abe, Y.
See Aki, Y.
Aisaka, K., Mitani, A., Kitajima, Y. and Ishihara, T.
Pressor effect of L-NMMA in SHRSP 461
Akabane, S.
See Kawamura, M.
Akashi, A.
See Sakurai, T.
Aki, Y., Shoji, T., Hasui, K., Fukui, K., Tamaki, T., Iwao, H. and Abe, Y.
Intrarenal action site of adenosine 433
Akimoto, Y.
See Usui, H.
Aoki, M.
See Tamura, T.
Asami, T.
See Kuribara, H.
Ashida, S.
See Tanaka, S.
Azuma, M.
See Morita, K.

Bessho, H.
See Satoh, N.
Buccafusco, J.J., Makari, N.F. and Hays, A.C.
Brain cholinergic stimulation in SHR 105

Chen, G.
See Nishiye, E.
Chida, Y.
See Shibata, M.

Fujihara, A.
See Miyata, K.
Fujimura, T., Shibata, H., Maekawa, I., Furusawa, S., Kawauchi, H., Sasaki, K. and Takayanagi, Y.
Doxorubicin resistance and cepharanthine 464
Fujiwara, Masami, Mitsui, K. and Yamamoto, I.
Effect of SASP on T cell responses 121
Fujiwara, Motohatsu
See Usui, H.
Fujiwara, S.
See Kuribara, H.
Fujiwara, S., Kuribara, H. and Tadokoro, S.
Behavioral effects of pentazocine 61
Fukuda, H.
See Tanabe, M.
Fukui, K.
See Aki, Y.
Furusawa, S.
See Fujimura, T.

Goto, Y.
See Yamasaki, K.

Hadjiivanova, C.
See Kenarova, B.
Hagiwara, M., Hongo, K. and Morikawa, T.
Fibrinolytic activity of VIP 86
Hamada, E., Takikawa, R., Ito, H., Iguchi, M., Terano, A., Sugimoto, T. and Kurachi, Y.
Specific inhibitor of I·K_{ATP} 473
Hamano, S.
See Morita, K.
Harauchi, T. and Yoshizaki, T.
A method for determining nephrotoxicity 205
Hasui, K.
See Aki, Y.
Hata, F.
See Kishi, I.
Hatanaka, S.
See Sakurai, T.
Hattori, T., Ito, M. and Suzuki, Y.
Effect of TJ-8014 on Heymann nephritis 265
Hays, A.C.
See Buccafusco, J.J.
Hidaka, Y.
e Nagata, Y.
Higuchi, M.
See Ikema, S.
Hirayama, K.
See Ikema, S.
See Kinjo, N.
Hirose, A.
See Kato, T.
Hirose, T.
See Nishiye, E.
Hongo, K.
See Hagiwara, M.
Horisaka, K.
See Sugimoto, Y.

Ida, I.
See Kuribara, H.
Iguchi, M.
See Hamada, E.
Iino, M.
Ca stores in smooth muscle 345
Ikema, S., Higuchi, M., Hirayama, K. and Sakanashi, M.
Insulin on ischemic hearts in diabetes 299
Imanishi, M.
See Kawamura, M.

Inaba, N.
See Inazu, N.
Inazu, N., Inaba, N. and Satoh, T.
Ovarian carbonyl reductase 13
Inoue, T.
See Kontani, H.
Ishida, F.
See Nagata, Y.
Ishida, Y., Ogihara, Y. and Okabe, S.
Marine dinoflagellate and gastric lesions 333
Ishihara, T.
See Aisaka, K.
See Uramoto, H.
Ishii, T.
See Kishi, I.
Ishii, T., Miwa, T., Nishio, H. and Yagasaki, O.
Cholinergic damage induced by AF64A 415
Ito, H.
See Hamada, E.
Ito, K.
See Kawamura, M.
Ito, M.
See Hattori, T.
Itoh, Y.
See Nishibori, M.
Iwamura, S.
See Misawa, M.
Iwao, H.
See Aki, Y.
Iwata, N.
See Kumagae, Y.

Kamato, T.
See Miyata, K.
Kamei, T.
See Nagata, Y.
Kanda, A.
See Tanaka, S.
Kaneto, H.
See Shiigi, Y.
Kato, K., Nakayama, K., Ohta, M., Murakami, N., Murakami, K., Mizota, M., Miwa, I. and Okuda, J.
Effect of ARI on galactose cataract 355
Kato, R.
See Nakaki, T.
Kato, T., Hirose, A., Ohno, Y., Shimizu, H., Tanaka, H. and Nakamura, M.
Binding profile of SM-9018 478
Katsura, M. and Kuriyama, K.
Denbufylline on cerebral cholinergic neurons 441
Kawabata, A., Kishimoto, T., Ujihara, H., Sasa, M. and Takaori, S.
Inhibition by i.v.-$NaHCO_3$ of MVN neuron 383
Kawabata, N., Yano, K., Ohno, H. and Nakashima, T.
Effect of L-cysteine on FT distribution 487
Kawamura, M., Imanishi, M., Matsushima, Y., Akabane, S., Kuramochi, M., Ito, K. and Omae, T.
A comparison of lisinopril with enalapril 143
Kawano, K.
See Takayanagi, I.
Kawauchi, H.
See Fujimura, T.
Kenarova, B., Neychev, H., Hadjiivanova, C. and Petkov, V.D.
Immunological effects of ginsenoside Rg_1 447
Kimura, I.
See Matsui, T.
Kimura, I.
See Sugimoto, Y.
Kimura, M.
See Matsui, T.
Kinjo, N.
See Noguchi, K.
Kinjo, N., Noguchi, K., Hirayama, K. and Sakanashi, M.
Cardiovascular effects of habu venom 151
Kishi, I., Hata, F., Takeuchi, T., Ishii, T. and Yagasaki, O.
Cooperation of ATP and norepinephrine 253
Kishimoto, T.
See Kawabata, A.
Kitada, Y.
See Satoh, N.
Kitagawa, S.
See Yamaguchi, Y.
Kitajima, I.
See Ohno, M.
Kitajima, Y.
See Aisaka, K.
Koda, A.
See Mori, H.
Koike, H.
See Oizumi, K.
Koike, K.
See Takayanagi, I.
Kojima, H.
See Sakurai, T.
Kontani, H., Inoue, T. and Sakai, T.
Dopamine system in micturition reflex 482
Kumagae, Y., Matsui, Y. and Iwata, N.
Monoamines in ischemia and RS-8359 407
Kunitomo, M.
See Yamaguchi, Y.
Kurachi, Y.
See Hamada, E.
Kurahashi, K.
See Usui, H.
Kuramochi, M.
See Kawamura, M.
Kuribara, H.
See Fujiwara, S.

Kuribara, H., Asami, T., Ida, I. and Tadokoro, S.
Ceruletide and avoidance response 325
Kuribara, H., Asami, T., Saito, T., Ida, I.
and Tadokoro, S.
Behavioral effects of mergocriptine 163
Kuribara, H., Fujiwara, S., Yasuda, H.
and Tadokoro, S.
Anticonflict effect of MK-801 250
Kurimoto, Y.
See Mori, H.
Kuriyama, H.
See Nishiye, E.
Kuriyama, K.
See Katsura, M.

Maekawa, I.
See Fujimura, T.
Makari, N.F.
See Buccafusco, J.J.
Matsubara, T.
See Yagami, T.
Matsui, T., Kimura, I. and Kimura, M.
ChE and diabetic hypersensitivity to ACh 97
Matsui, Y.
See Kumagae, Y.
Matsushima, Y.
See Kawamura, M.
Misawa, M. and Iwamura, S.
PAF and rhinitis 217
Mitani, A.
See Aisaka, K.
Mitsui, K.
See Fujiwara, Masami
Miwa, I.
See Kato, K.
Miwa, T.
See Ishii, T.
Miyake, S.
See Oizumi, K.
Miyamoto, M.
See Oizumi, K.
Miyamoto, T.
See Tamura, T.
Miyata, K., Kamato, T., Fujihara, A.
and Takeda, M.
H_2-antagonistic profile of famotidine 197
Mizota, M.
See Kato, K.
Mochizuki, S.
See Takeuchi, K.
See Wakabayashi, S.
Mori, H., Kurimoto, Y., Xu, Q. and Koda, A.
Effect of Neurotropin on DTH 468
Morikawa, T.
See Hagiwara, M.
Morita, K., Teraoka, K., Azuma, M., Oka, M.
and Hamano, S.
Ba^{2+} and catecholamine biosynthesis 425
Moromizato, H.
See Noguchi, K.
Murakami, K.
See Kato, K.
Murakami, N.
See Kato, K.

Nagai, H.
See Wang, J.Y.
Nagata, Y., Hidaka, Y., Ishida, F. and Kamei, T.
Effects of MK-733 on mevalonate pathway 315
Nakaki, T., Otsuka, Y. and Kato, R.
Tension-induced EDRF release 491
Nakamura, M.
See Kato, T.
Nakashima, T.
See Kawabata, N.
Nakasone, J.
See Noguchi, K.
Nakayama, K.
See Kato, K.
Narimatsu, A.
See Satoh, N.
Neychev, H.
See Kenarova, B.
Nishibori, M., Itoh, Y., Oishi, R. and Saeki, K.
Central histamine and plasma epinephrine 257
Nishikawa, M.
See Shibata, M.
Nishino, H.
See Oizumi, K.
Nishio, H.
See Ishii, T.
Nishiyama, N.
See Nishizawa, K.
Nishiye, E., Chen, G., Hirose, T. and Kuriyama, H.
Endothelial cell releasing factors on coronary artery 391
Nishizawa, K., Saito, H. and Nishiyama, N.
Effects of *Kamikihi-To* on memory in SAM 375
Noguchi, K.
See Kinjo, N.
Noguchi, K., Ojiri, Y., Kinjo, N., Moromizato, H.,
Nakasone, J. and Sakanashi, M.
Modified SOD on postischemic dysfunction 244

Ogihara, Y.
See Ishida, Y.
Oguchi, K.
See Okazaki, M.
Ohnishi, H.
See Shibata, M.
Ohno, H.
See Kawabata, N.

Ohno, M., Yamamoto, T., Kitajima, I. and Ueki, S.
WEB 1881 FU and working memory 53
Ohno, T.
See Uramoto, H.
Ohno, Y.
See Kato, T.
Ohta, M.
See Kato, K.
Ohtsuki, A.
See Okazaki, M.
Oishi, R.
See Nishibori, M.
Oizumi, K., Nishino, H., Miyake, S., Shiga, H.,
Sada, T., Miyamoto, M. and Koike, H.
Long term Ca blocker and hemodynamics 1
Ojiri, Y.
See Noguchi, K.
Oka, M.
See Morita, K.
Okabe, S.
See Ishida, Y.
See Takeuchi, K.
See Wang, J.Y.
Okazaki, M., Sakamoto, H., Ohtsuki, A.
and Oguchi, K.
Thiamine and brain lipids 171
Okuda, J.
See Kato, K.
Omae, T.
See Kawamura, M.
Ono, H.
See Tanabe, M.
Onodera, K., Shinoda, H. and Watanabe, T.
Hypothermia and hypothalamic histamine 339
Otsuka, Y.
See Nakaki, T.

Petkov, V.D.
See Kenarova, B.

Sada, T.
See Oizumi, K.
Saeki, K.
See Nishibori, M.
Saito, H.
See Abe, K.
See Nishizawa, K.
Saito, T.
See Kuribara, H.
Sakai, T.
See Kontani, H.
Sakamoto, H.
See Okazaki, M.
Sakanashi, M.
See Ikema, S.
See Kinjo, N.
See Noguchi, K.
Sakurai, T., Hatanaka, S., Tanaka, S.,
Yamasaki, T., Kojima, H. and Akashi, A.
Anti-anoxic effect of DM-9384 33
Sasa, M.
See Kawabata, A.
Sasaki, K.
See Fujimura, T.
Satoh, E., Yanagisawa, T. and Taira, N.
K^+ channel openers and glibenclamide 133
Satoh, N., Suzuki, J., Bessho, H., Kitada, Y.,
Narimatsu, A. and Tobe, A.
Cardiohemodynamic effects of betaxolol 113
Satoh, T.
See Inazu, N.
Sekine, A.
See Shibata, M.
Shibata, H.
See Fujimura, T.
Shibata, M., Yamaura, T., Sekine, A.,
Nishikawa, M., Chida, Y. and Ohnishi, H.
Antiulcer effect by FRG-8701 277
Shibata, S.
See Usui, H.
See Wakabayashi, S.
Shiga, H.
See Oizumi, K.
Shiigi, Y. and Kaneto, H.
Memory retrieval by pre-test morphine 79
Shimizu, H.
See Kato, T.
Shinkai, M. and Takayanagi, I.
Tachykinin receptors in G-P urinary bladder 241
Shinoda, H.
See Onodera, K.
Shirahase, H.
See Usui, H.
Shoji, T.
See Aki, Y.
Sugimoto, T.
See Hamada, E.
Sugimoto, Y., Kimura, I., Yamada, J., Watanabe Y.,
Takeuchi, N. and Horisaka, K.
Serotonin-induced hyperinsulinemia 93
Suzuki, A.
See Usui, H.
Suzuki, J.
See Satoh, N.
Suzuki, Y.
See Hattori, T.

Tadokoro, S.
See Fujiwara, S.
See Kuribara, H.
Taira, N.
See Satoh, E.

Takaori, S.
See Kawabata, A.
Takayanagi, I.
See Shinkai, M.
Takayanagi, I., Kawano, K. and Koike, K.
$PGF_{2\alpha}$ in response of G-P trachea to NE 330
Takayanagi, M.
See Abe, K.
Takayanagi, Y.
See Fujimura, T.
Takeda, M.
See Miyata, K.
Takeuchi, K., Tanaka, T., Wakabayashi, S., Mochizuki, S., Tomiyama, A. and Okabe, S.
Effect of KT1-32 on rat stomach 227
Takeuchi, N.
See Sugimoto, Y.
Takeuchi, T.
See Kishi, I.
Takikawa, R.
See Hamada, E.
Tamaki, T.
See Aki, Y.
Tamura, T., Taniguchi, T., Miyamoto, T., Aoki, M. and Waki, I.
Eptazocine on KCN-induced anoxia 179
Tanabe, M., Ono, H. and Fukuda, H.
Adrenergic drugs on spinal reflexes 69
Tanaka, H.
See Kato, T.
Tanaka, S.
See Sakurai, T.
Tanaka, S., Kanda, A. and Ashida, S.
Uricosuric activity of DR-3438 307
Tanaka, T.
See Takeuchi, K.
Taniguchi, T.
See Tamura, T.
Terano, A.
See Hamada, E.
Teraoka, K.
See Morita, K.
Tobe, A.
See Satoh, N.
Tohkin, M.
See Yagami, T.
Tomiyama, A.
See Takeuchi, K.
See Wakabayashi, S.

Ueki, S.
See Ohno, M.
Ujihara, H.
See Kawabata, A.
Uramoto, H., Ohno, T. and Ishihara, T.
Gastric adaptation to stress 287
Usui, H., Akimoto, Y., Kurahashi, K., Shirahase, H., Fujiwara, Motohatsu, Shibata, S. and Suzuki, A.
Nifedipine-resistant contraction by TXA_2 237
Usui, H., Shirahase, H. and Kurahashi, K.
Cerebrovascular reactivity to N-methyl CA 89

Wakabayashi, S.
See Takeuchi, K.
Wakabayashi, S., Mochizuki, S., Tomiyama, A. and Shibata, S.
Hemodynamic actions of KT-362 23
Waki, I.
See Tamura, T.
Wang, J.Y., Nagai, H. and Okabe, S.
Omeprazole and gastric ulcer healing 82
Watanabe, T.
See Onodera, K.
Watanabe, Y.
See Sugimoto, Y.

XU, Q.
See Mori, H.

Yagami, T., Tohkin, M. and Matsubara, T.
Sex difference in β-adrenergic response 365
Yagasaki, O.
See Ishii, T.
See Kishi, I.
Yamada, J.
See Sugimoto, Y.
Yamada, K.
See Yamaguchi, Y.
Yamaguchi, Y., Yamada, K., Kitagawa, S. and Kunitomo, M.
An atherosclerosis mouse model 187
Yamamoto, I.
See Fujiwara, Masami
See Yamauchi, T.
Yamamoto, T.
See Ohno, M.
Yamasaki, K. and Goto, Y.
Acid secretagogue effect of i.c. PCPGABA 7
Yamasaki, T.
See Sakurai, T.
Yamauchi, T. and Yamamoto, I.
Inhibition of B cell proliferation by $CuSO_4$ 455
Yamaura, T.
See Shibata, M.
Yanagisawa, T.
See Satoh, E.
Yano, K.
See Kawabata, N.
Yasuda, H.
See Kuribara, H.
Yoshizaki, T.
See Harauchi, T.

SUBJECT INDEX

Acetic acid ulcers 82
Acetylcholine 415
Acetylcholine release 441
Acid secretion 227
Acid secretory response 197
Adaptive cytoprotection 287
Adenosine 433
Adenylate cyclase 365
Adrenergic receptor 365
β-Adrenoceptor antagonist 113
α-Adrenoceptors 69
AF64A (ethylcholine mustard aziridinium ion) 415
Afferent arteriole 433
Agonist 345
Aldose reductase inhibitor 355
Ambulatory activity (mouse) 61, 163
β-Aminopropionitrile 187
5-Aminovaleric acid 7
Angiotensin I-converting enzyme 143
Angiotensin II 143
Anoxia 179
Anti-anoxia 33
Antibody response 455
Anticonflict effect 250
Antipsychotic agent 478
Antitumor effect 464
Antiulcer agent 277
Arecoline 105
Atherosclerosis mouse model 187
ATP 253
ATP-induced hyperpolarization 391
ATP-sensitive K^+ channel 473
Atrial myocyte 473
Autoregulation 433

B cell suppression 455
Ba^{2+} 425
Basic fibroblast growth factor (bFGF) 45
Basilar artery (canine) 237
Betaxolol 113
Blood flow 23
Blood pressure 461
Blood pressure response 197
Brain lipids 171
Brain microdialysis 441

Ca^{2+}-induced contraction 237
Calcium 345
Calcium antagonists 187
Calcium entry blocker 23
Calcium release blocker 23
Carbonyl reductase 13
Cardiac contraction 133
Cardiohemodynamics 113
Cardioselectivity 113
Cardiovascular action 23
Cardiovascular effects 151
Catecholamine biosynthesis 425
Cell cultures 45
Central cholinergic neurons 105
Central-acting drugs 325
Cepharanthine 464
Cerebral arteries 89
Cerebral energy metabolism 179
Cerebral ischemia 53
Cerebroside 171
Ceruletide 325
Cholesterol 187
Choline acetyltransferase 415
Cholinergic damage 415
Cholinergic neurotoxin 415
Chromaffin cells 425
Cimetidine 197
Clonidine 69
Contraction 345
Cooperation 253
Coronary artery (guinea pig) 391
Coronary circulation 113
Coronary stenosis 244
Cromakalim 133
CS-905 ((±)-3-(1-diphenylmethylazetidin-3-yl)5-isopropyl-2-amino-1,4-dihydro-6-methyl-4-(m-nitrophenyl)-3,5-pyridine-dicarboxylate) 1
Cupric sulfate 455
Cyclosporin A 121
L-Cysteine 487
Cytoprotection 277

Delayed healing 82
Delayed type hypersensitivity 468
Denbufylline 441
Desensitization 491
Dextran sulfate 86
Diabetic complications 355
Diabetic hearts 299
Diabetic KK-CA^y mice 97
13,14-Dihydro-prostaglandin $F_{2\alpha}$ 13
Dimethyl-β-propiothetin 333
Discrete shuttle avoidance 325
Distribution volume 487
Diuretic activity 307
DM-9384 (N-(2,6-dimethylphenyl)-2-(2-oxo-1-pyrrolidinyl) acetamide) 33
DNA synthesis 315
Dolichol synthesis 315
L-Dopa 69

Dopamine receptor subtype 482
Doxorubicin 464
DR-3438 ([[5-chloro-3-(2-methylphenyl)-4-oxo-4H-benzopyran-7-yl]oxy]acetic acid) 307

Efferent arteriole 433
Enalapril 143
Encephalopathy 171
Endothelin 391
Endothelium-derived hyperpolarizing factor (EDHF) 391
Endothelium-derived relaxing factor (EDRF) 391, 491
Energy metabolism 33, 299
Epidermal growth factor (EGF) 45
Epinephrine 257
Epithelial cell damage 287
Eptazocine 179

Famotidine 197
Fetal rat brain 45
Fibrinolysis 86
FRG-8701 (N-[3-[3-(piperidinylmethyl) phenoxy]propyl]-2-(furfurylsulfinyl)acetamide) 277
FT (1-(tetrahydro-2-furanyl)-5-fluorouracil) 487

GABA receptor 7
Galactose cataract 355
Gastric acid secretion 7, 277
Gastric lesions 333
Ginsenoside Rg_1 447
Glibenclamide 133, 473
Glucagon 433
Glucose 93
Glutamate-induced firing 383
Glycogenolysis 365

H_2-receptor antagonist 197, 277
Habu venom 151
Hemodynamic change 1
Hepatocytes 365
Heymann nephritis 265
Histamine 217, 257, 339
Hydantoin derivatives 355
Hyperglycemia 257
Hypersensitivity to acetylcholine 97
Hypertension 105
Hypolipidemic drugs 187
Hypoperfusion injury 299
Hypotension 151

Immunohistochemistry 13
Immunomodulating activity 447
Indacrinone 307
Inositol triphosphate 345
Insulin 93, 299
Interleukin 2 production 121
Intragastric application 227
Iontophoresis 383

Japanese herbal medicine 265

Kamikihi-To 375
KCN 179
Kidney 1
KT-362 (5-(3-((2-(3,4-dimethoxyphenyl)ethyl)amino)-1-oxopropyl)-2,3,4,5-tetrahydro-1,5-benzothiazepine fumarate) 23
KT1-32 (sodium 3-ethyl-7-isopropyl-1-azulenesulfonate 1/3 hydrate) 227

Learning 375
Leukotriene 217
Lisinopril 143
Locomotor activity 33
Long-term administration 1
Lymphocyte proliferation 455

Marine dinoflagellate extract 333
Medial vestibular nucleus (MVN) 383
Membranous nephropathy 265
Memory retrieval 79
Mergocriptine (CBM36-733) (2-methyl-α-ergocriptine) 163
Meth A tumor 468
Methamphetamine 61, 163
N-Methyl catecholamine 89
N-Methyl-D-aspartate (NMDA)-receptor antagonist 250
Mevalonate pathway 315
MK-801 ((+)-5-methyl-10,11-dihydro-5H-dibenzo[a,d]cyclohepten-5,10-imine) 250
Monoamine metabolism 407
Monoamine oxidase 407
Morphine 61, 79
Myocardial dysfunction 244

Nephritis 265
Nephrotoxicity 205
Neuronal survival 45
Neurotropin 468
Nicorandil 133
Nifedipine- and nitroglycerin-resistant 237
Nitric oxide 461
L-NMMA (N^G-monomethyl-L-arginine) 461
Nonnarcotic analgesic 179
Norepinephrine 253, 299, 330

Omeprazole 82
Ovary 13
Ovulation 13

Panax ginseng 447
PCPGABA (2-(p-chlorophenyl)-4-aminobutyric acid) 7
D-Penicillamine 455
Pentazocine 61
Physostigmine 105
Pinacidil 133
Plasma pseudocholinesterase 97
Platelet-activating factor 217
Polyol 355
Potential difference 227
Proliferative response 121
Prostaglandin $F_{2\alpha}$ 330
Protein kinase C 425
Proteinuria 265

Receptor-binding assay 478
Renin-angiotensin system 143
Repeated administration 61, 163
Reverse tolerance 163
Rhinitis 217
Rotation-induced firing 383
RS-8359 ((±)-4-(4-cyanoanilino)-7-hydroxy-cyclopenta(3,2-e)pyrimidine) 407
Runway task 53

Salazosulfapyridine 121
Scopolamine 53
Senescence accelerated mouse 375
Serotonin 93
Sex difference 365
Short-time stress 287
Simvastatin (MK-733) 315
SM-9018 (cis-2-[4-[4-(1,2-benzisothiazol-3-yl)-1-piperazinyl] butyl] hexahydro-1H-isoindole-1,3(2H)-dione hydrochloride) 478
Smooth muscle 345
Sodium bicarbonate (7%) 383
Spinal reflex 69
Spontaneously hypertensive rats (SHR) 1, 105
State dependency 79
Stomach (rat) 227
Striated muscle 97
Striatum (rat) 441
Substance P 241
Superoxide dismutase 244
Synergistic interaction 482

Tachykinin receptors 241
Tension 491
Thermoregulation 339
Thiamine antimetabolites 171
Thiamine deficiency 171, 339
Thromboxane A_2 (TXA_2) 237
Tienilic acid 307
Tizanidine 69
Trachea (guinea pig) 330
Transient ischemia 407

Ubiquinone synthesis 315
Uricosuric activity 307
Urinary bladder 241
Urinary bladder motility (rat) 482
Urinary enzyme (rat) 205

Vagotomy 287
Vas deferens 253
Vascular selectivity 23
Vasoactive intestinal polypeptide (VIP) 86
Vasorelaxation 151

WEB 1881 FU (4-aminomethyl-1-benzylpyrrolidin-2-one-fumarate) 53
Working memory 53